11-1-2005

End Matter

JMASM Editors

Follow this and additional works at: <http://digitalcommons.wayne.edu/jmasm>

Recommended Citation

Editors, JMASM (2005) "End Matter," *Journal of Modern Applied Statistical Methods*: Vol. 5 : Iss. 2 , Article 34.

DOI: 10.22237/jmasm/1162355580

Available at: <http://digitalcommons.wayne.edu/jmasm/vol5/iss2/34>

This End Matter is brought to you for free and open access by the Open Access Journals at DigitalCommons@WayneState. It has been accepted for inclusion in Journal of Modern Applied Statistical Methods by an authorized editor of DigitalCommons@WayneState.

Two Years in the Making...

Intel® Visual Fortran 8.0

The next generation of Visual Fortran is here! Intel Visual Fortran 8.0 was developed jointly by Intel and the former DEC/Compaq Fortran engineering team.

Visual Fortran Timeline

- 1997** DEC releases Digital Visual Fortran 5.0
- 1998** Compaq acquires DEC and releases DVF 6.0
- 1999** Compaq ships CVF 6.1
- 2001** Compaq ships CVF 6.6
- 2001** Intel acquires CVF engineering team
- 2003** Intel releases Intel Visual Fortran 8.0

Intel Visual Fortran 8.0

- CVF front-end + Intel back-end
- Better performance
- OpenMP Support
- Real*16

Performance

Outstanding performance on Intel architecture including Intel® Pentium® 4, Intel® Xeon™ and Intel Itanium® 2 processors, as well as support for Hyper-Threading Technology.

Compatibility

- Plugs into Microsoft Visual Studio® .NET
- Microsoft PowerStation4 language and library support
- Strong compatibility with Compaq® Visual Fortran

Support

1 year of free product upgrades and Intel Premier Support

"The Intel Fortran Compiler 7.0 was first-rate, and Intel Visual Fortran 8.0 is even better. Intel has made a giant leap forward in combining the best features of Compaq Visual Fortran and Intel Fortran. This compiler... continues to be a 'must-have' tool for any Twenty-First Century Fortran migration or software development project."

—Dr. Robert R. Trippi
Professor Computational Finance
University of California, San Diego

FREE trials available at:
programmersparadise.com/intel

Programmer's Paradise®

To order or request additional information call:
800-423-9990
Email: intel@programmers.com

NCSS

329 North 1000 East
Kaysville, Utah 84037

Announcing NCSS 2004 Seventeen New Procedures

NCSS 2004 is a new edition of our popular statistical **NCSS** package that adds seventeen new procedures.

New Procedures

Two Independent Proportions
Two Correlated Proportions
One-Sample Binary Diagnostic Tests
Two-Sample Binary Diagnostic Tests
Paired-Sample Binary Diagnostic Tests
Cluster Sample Binary Diagnostic Tests
Meta-Analysis of Proportions
Meta-Analysis of Correlated Proportions
Meta-Analysis of Means
Meta-Analysis of Hazard Ratios
Curve Fitting
Tolerance Intervals
Comparative Histograms
ROC Curves
Elapsed Time Calculator
T-Test from Means and SD's
Hybrid Appraisal (Feedback) Model

Documentation

The printed, 330-page manual, called *NCSS User's Guide V*, is available for \$29.95. An electronic (pdf) version of the manual is included on the distribution CD and in the Help system.

Two Proportions

Several new exact and asymptotic techniques were added for hypothesis testing (null, noninferiority, equivalence) and calculating confidence intervals for the difference, ratio, and odds ratio. Designs may be independent or paired. Methods include: Farrington & Manning, Gart & Nam, Conditional & Unconditional Exact, Wilson's Score, Miettinen & Nurminen, and Chen.

Meta-Analysis

Procedures for combining studies measuring paired proportions, means, independent proportions, and hazard ratios are available. Plots include the forest plot, radial plot, and L'Abbe plot. Both fixed and random effects models are available for combining the results.

Curve Fitting

This procedure combines several of our curve fitting programs into one module. It adds many new models such as Michaelis-Menten. It analyzes curves from several groups. It compares fitted models across groups using computer-intensive randomization tests. It computes bootstrap confidence intervals.

Tolerance Intervals

This procedure calculates one and two sided tolerance intervals using both distribution-free (nonparametric) methods and normal distribution (parametric) methods. Tolerance intervals are bounds between which a given percentage of a population falls.

Comparative Histogram

This procedure displays a comparative histogram created by interspersing or overlaying the individual histograms of two or more groups or variables. This allows the direct comparison of the distributions of several groups.

Random Number Generator

Matsumoto's Mersenne Twister random number generator (cycle length > 10**6000) has been implemented.

Binary Diagnostic Tests

Four new procedures provide the specialized analysis necessary for diagnostic testing with binary outcome data. These provide appropriate specificity and sensitivity output. Four experimental designs can be analyzed including independent or paired groups, comparison with a gold standard, and cluster randomized.

ROC Curves

This procedure generates both binormal and empirical (nonparametric) ROC curves. It computes comparative measures such as the whole, and partial, area under the ROC curve. It provides statistical tests comparing the AUC's and partial AUC's for paired and independent sample designs.

Hybrid (Feedback) Model

This new edition of our hybrid appraisal model fitting program includes several new optimization methods for calibrating parameters including a new genetic algorithm. Model specification is easier. Binary variables are automatically generated from class variables.

Statistical Innovations Products

Through a *special arrangement* with Statistical Innovations (S.I.), NCSS customers will receive \$100 discounts on:

Latent GOLD[®] - latent class modeling

SI-CHAID[®] - segmentation trees

GOLDMineR[®] - ordinal regression

For demos and other info visit:

www.statisticalinnovations.com

Please rush me the following products:

Qty _____

_____ **NCSS 2004 CD upgrade from NCSS 2001**, \$149.95 \$_____

_____ **NCSS 2004 User's Guide V**, \$29.95 \$_____

_____ **NCSS 2004 CD, upgrade from earlier versions**, \$249.95 \$_____

_____ **NCSS 2004 Deluxe (CD and Printed Manuals)**, \$599.95 \$_____

_____ **PASS 2002 Deluxe**, \$499.95 \$_____

_____ **Latent Gold® from S.I.**, \$995 - \$100 NCSS Discount = \$895..... \$_____

_____ **GoldMineR® from S.I.**, \$695 - \$100 NCSS Discount = \$595 \$_____

_____ **CHAID® Plus from S.I.**, \$695 - \$100 NCSS Discount = \$595.... \$_____

Approximate shipping--depends on which manuals are ordered (U.S: \$10 ground, \$18 2-day, or \$33 overnight) (Canada \$24) (All other countries \$10) (Add \$5 U.S. or \$40 International for any S.I. product) \$_____

Total..... \$_____

TO PLACE YOUR ORDER

CALL: (800) 898-6109 **FAX:** (801) 546-3907

ONLINE: www.ncss.com

MAIL: NCSS, 329 North 1000 East, Kaysville, UT 84037

My Payment Option:

_____ Check enclosed

_____ Please charge my: ☐ VISA ☐ MasterCard ☐ Amex

_____ Purchase order attached _____

Card Number _____ Exp _____

Signature _____

Telephone:

() _____

Email:

Ship to:

NAME _____

ADDRESS _____

ADDRESS _____

ADDRESS _____

CITY _____ STATE _____

ZIP/POSTAL CODE _____ COUNTRY _____

Forest Plot of Odds Ratio

Statistical and Graphics Procedures Available in NCSS 2004

Analysis of Variance / T-Tests

Analysis of Covariance
Analysis of Variance
Bartlett Variance Test
Crossover Design Analysis
Factorial Design Analysis
Friedman Test
Geiser-Greenhouse Correction
General Linear Models
Mann-Whitney Test
MANOVA
Multiple Comparison Tests
One-Way ANOVA
Paired T-Tests
Power Calculations
Repeated Measures ANOVA
T-Tests – One or Two Groups
T-Tests – From Means & SD's
Wilcoxon Test

Time Series Analysis

ARIMA / Box - Jenkins
Decomposition
Exponential Smoothing
Harmonic Analysis
Holt - Winters
Seasonal Analysis
Spectral Analysis
Trend Analysis

Plots / Graphs

Bar Charts
Box Plots
Contour Plot
Dot Plots
Error Bar Charts
Histograms
Histograms: Combined*
Percentile Plots
Pie Charts
Probability Plots
ROC Curves*
Scatter Plots
Scatter Plot Matrix
Surface Plots
Violin Plots

Experimental Designs

Balanced Inc. Block
Box-Behnken
Central Composite
D-Optimal Designs
Fractional Factorial
Latin Squares
Plackett-Burman
Response Surface
Screening
Taguchi

Regression / Correlation

All-Possible Search
Canonical Correlation
Correlation Matrices
Cox Regression
Kendall's Tau Correlation
Linear Regression
Logistic Regression
Multiple Regression
Nonlinear Regression
PC Regression
Poisson Regression
Response-Surface
Ridge Regression
Robust Regression
Stepwise Regression
Spearman Correlation
Variable Selection

Quality Control

Xbar-R Chart
C, P, NP, U Charts
Capability Analysis
Cusum, EWMA Chart
Individuals Chart
Moving Average Chart
Pareto Chart
R & R Studies

Survival / Reliability

Accelerated Life Tests
Cox Regression
Cumulative Incidence
Exponential Fitting
Extreme-Value Fitting
Hazard Rates
Kaplan-Meier Curves
Life-Table Analysis
Lognormal Fitting
Log-Rank Tests
Probit Analysis
Proportional-Hazards
Reliability Analysis
Survival Distributions
Time Calculator*
Weibull Analysis

Multivariate Analysis

Cluster Analysis
Correspondence Analysis
Discriminant Analysis
Factor Analysis
Hotelling's T-Squared
Item Analysis
Item Response Analysis
Loglinear Models
MANOVA
Multi-Way Tables
Multidimensional Scaling
Principal Components

Curve Fitting

Bootstrap C.I.'s*
Built-In Models
Group Fitting and Testing*
Model Searching
Nonlinear Regression
Randomization Tests*
Ratio of Polynomials
User-Specified Models

Miscellaneous

Area Under Curve
Bootstrapping
Chi-Square Test
Confidence Limits
Cross Tabulation
Data Screening
Fisher's Exact Test
Frequency Distributions
Mantel-Haenszel Test
Nonparametric Tests
Normality Tests
Probability Calculator
Proportion Tests
Randomization Tests
Tables of Means, Etc.
Trimmed Means
Univariate Statistics

Meta-Analysis*

Independent Proportions*
Correlated Proportions*
Hazard Ratios*
Means*

Binary Diagnostic Tests*

One Sample*
Two Samples*
Paired Samples*
Clustered Samples*

Proportions

Tolerance Intervals*
Two Independent*
Two Correlated*
Exact Tests*
Exact Confidence Intervals*
Farrington-Manning*
Fisher Exact Test
Gart-Nam* Method
McNemar Test
Miettinen-Nurminen*
Wilson's Score* Method
Equivalence Tests*
Noninferiority Tests*

Mass Appraisal

Comparables Reports
Hybrid (Feedback) Model*
Nonlinear Regression
Sales Ratios

***New Edition in 2004**

"Perfection is achieved, not when there is nothing more to add, but when there is nothing left to take away."

- Antoine de Saint Exupery

F is a carefully crafted subset of the most recent version of Fortran, the world's most powerful numeric language.

Using F has some very significant advantages:

- Programs written in F will compile with any Fortran compiler
- F is easier to use than other popular programming languages
- ***F compilers are free*** and available for Linux, Windows, and Solaris
- Several books on F are available
- F programs may be linked with C, Fortran 95, or older Fortran 77 programs

F retains the modern features of Fortran—modules and data abstraction, for example—but discards older error-prone facilities of Fortran.

It is a safe and portable programming language.

F encourages Module-Oriented Programming.

It is ideal for teaching a programming language in science, engineering, mathematics, and finance.

It is ideal for new numerically intensive programs.

The Fortran Company

11155 E. Mountain Gate Place, Tucson, AZ 85749 USA

+1-520-256-1455 +1-520-760-1397 (fax)

<http://www.fortran.com> info@fortran.com

Introducing GGUM2004

Item Response Theory Models for Unfolding

The new GGUM2004 software system estimates parameters in a family of item response theory (IRT) models that unfold polytomous responses to questionnaire items. These models assume that persons and items can be jointly represented as locations on a latent unidimensional continuum. A single-peaked, nonmonotonic response function is the key feature that distinguishes unfolding IRT models from traditional, "cumulative" IRT models. This response function suggests

that a higher item score is more likely to the extent that an individual is located close to a given item on the underlying continuum. Such single-peaked functions are appropriate in many situations including attitude measurement with Likert or Thurstone scales, and preference measurement with stimulus rating scales. This family of models can also be used to determine the locations of respondents in particular developmental processes that occur in stages.

The GGUM2004 system estimates item parameters using marginal maximum likelihood, and person parameters are estimated using an expected *a posteriori* (EAP) technique. The program allows for up to 100 items with 2-10 response categories per item, and up to 2000 respondents. GGUM2004 is compatible with computers running updated versions of Windows 98 SE, Windows 2000, and Windows XP. The software is accompanied by a detailed technical reference manual and a new Windows user's guide. **GGUM2004 is free** and can be downloaded from:

<http://www.education.umd.edu/EDMS/tutorials>

GGUM2004 improves upon its predecessor (GGUM2000) in several important ways:

- It has a user-friendly graphical interface for running commands and displaying output.
- It offers real-time graphics that characterize the performance of a given model.
- It provides new item fit indices with desirable statistical characteristics.
- It allows for missing item responses assuming the data are missing at random.
- It allows the number of response categories to vary across items.
- It estimates model parameters more quickly.

Start putting the power of unfolding IRT models to work in your attitude and preference measurement endeavors. Download your free copy of GGUM2004 today!

JOIN DIVISION 5 OF APA!

The Division of Evaluation, Measurement, and Statistics of the American Psychological Association draws together individuals whose professional activities and/or interests include assessment, evaluation, measurement, and statistics. The disciplinary affiliation of division membership reaches well beyond psychology, includes both members and non-members of APA, and welcomes graduate students.

Benefits of membership include:

- subscription to *Psychological Methods* or *Psychological Assessment* (student members, who pay a reduced fee, do not automatically receive a journal, but may do so for an additional \$18)
- *The Score* – the division's quarterly newsletter
- Division's Listservs, which provide an opportunity for substantive discussions as well as the dissemination of important information (e.g., job openings, grant information, workshops)

Cost of membership: \$38 (**APA membership not required**); student membership is only \$8

For further information, please contact the Division's Membership Chair, Yossef Ben-Porath (ybenpora@kent.edu) or check out the Division's website:

<http://www.apa.org/divisions/div5/>

ARE YOU INTERESTED IN AN ORGANIZATION DEVOTED TO EDUCATIONAL AND BEHAVIORAL STATISTICS?

Become a member of the **Special Interest Group - Educational Statisticians** of the American Educational Research Association (SIG-ES of AERA)!

The mission of SIG-ES is to increase the interaction among educational researchers interested in the theory, applications, and teaching of statistics in the social sciences.

Each Spring, as part of the overall AERA annual meeting, there are seven sessions sponsored by SIG-ES devoted to educational statistics and statistics education.

We also publish a twice-yearly electronic newsletter.

Past issues of the SIG-ES newsletter and other information regarding SIG-ES can be found at <http://orme.uark.edu/edstatsig.htm>

To join SIG-ES you must be a member of AERA. Dues are \$5.00 per year.

For more information, contact Joan Garfield, President of the SIG-ES, at jbg@umn.edu.

SOFTWARE SOLUTIONS
for Science & Engineering

Lahey/Fujitsu Fortran

The standard for Fortran programming
from the leader in Fortran language systems

LF95 Fortran for Linux and Windows

Full Fortran 95/90/77 support
Unsurpassed diagnostics
Intel and AMD optimizations

IMSL compatible
Fujitsu SSL2 math library
Wisk graphics package

LF Fortran for the Microsoft® .NET Framework - Coming Soon !

Visual Studio integration
Windows / Web Forms designer
Project and code templates

On-line integrated help
XML Web services
ADO.NET support

Visit www.lahey.com for more information

```
ELSE
  poly_coefficient
END IF
ELSE
  poly_coefficient
END IF
END FUNCTION poly_c
SUBROUTINE poly_init
  TYPE(poly), INTENT
  REAL(fpkind), INTE
  IF ( .NOT. PRESENT
    NULLIFY ( p%coef
  ELSE
    m = UBOUND(v,l)
    IF ( max_degree
      ALLOCATE ( p%
      p%coeffs
    ELSE
      ALLOCATE ( p%
      p%coeffs
    END IF
  END IF
```

Lahey Computer Systems, Inc.
865 Tahoe Blvd - P.O. Box 6091
Incline Village, NV 89450 USA
1-775-831-2500
www.lahey.com

Instructions For Authors

Follow these guidelines when submitting a manuscript:

1. *JMASM* uses a modified American Psychological Association style guideline.
2. Submissions are accepted via e-mail only. Send them to the Editorial Assistant at ea@edstat.coe.wayne.edu. Provide name, affiliation, address, e-mail address, and 30 word biographical statements for all authors in the body of the email message.
3. There should be no material identifying authorship except on the title page. A statement should be included in the body of the e-mail that, where applicable, indicating proper human subjects protocols were followed, including informed consent. A statement should be included in the body of the e-mail indicating the manuscript is not under consideration at another journal.
4. Provide the manuscript as an external e-mail attachment in MS Word for the PC format only. (Wordperfect and .rtf formats may be acceptable - please inquire.) Please note that Tex (in its various versions), Exp, and Adobe .pdf formats are designed to produce the final presentation of text. They are not amenable to the editing process, and are **NOT** acceptable for manuscript submission.
5. The text maximum is 20 pages double spaced, not including tables, figures, graphs, and references. Use 11 point Times Roman font.
6. Create tables without boxes or vertical lines. Place tables, figures, and graphs “in-line”, not at the end of the manuscript. Figures may be in .jpg, .tif, .png, and other formats readable by Adobe Illustrator or Photoshop.
7. The manuscript should contain an Abstract with a 50 word maximum, following by a list of key words or phrases. Major headings are Introduction, Methodology, Results, Conclusion, and References. Center headings. Subheadings are left justified; capitalize only the first letter of each word. Sub-subheadings are left-justified, indent optional.
8. Do not use underlining in the manuscript. Do not use bold, except for (a) matrices, or (b) emphasis within a table, figure, or graph. Do not number sections. Number all formulas, tables, figures, and graphs, but do not use italics, bold, or underline. Do not number references. Do not use footnotes or endnotes.
9. In the References section, do not put quotation marks around titles of articles or books. Capitalize only the first letter of books. Italicize journal or book titles, and volume numbers. Use “&” instead of “and” in multiple author listings.
10. *Suggestions for style:* Instead of “I drew a sample of 40” write “A sample of 40 was selected”. Use “although” instead of “while”, unless the meaning is “at the same time”. Use “because” instead of “since”, unless the meaning is “after”. Instead of “Smith (1990) notes” write “Smith (1990) noted”. Do not strike spacebar twice after a period.

Print Subscriptions

Print subscriptions including postage for professionals are US \$95 per year; for graduate students are US \$47.50 per year; and for libraries, universities, and corporations are US \$195 per year. Subscribers outside of the US and Canada pay a US \$10 surcharge for additional postage. Online access is currently free at <http://tbf.coe.wayne.edu/jmasm>. Mail subscription requests with remittances to JMASM, P. O. Box 48023, Oak Park, MI, 48237. Email journal correspondence, other than manuscript submissions, to jmasm@edstat.coe.wayne.edu.

Notice To Advertisers

Send requests for advertising information to jmasm@edstat.coe.wayne.edu.

STATISTICIANS

HAVE YOU VISITED THE

Mathematics Genealogy Project?

The Mathematics Genealogy Project is an ongoing research project tracing the intellectual history of all the mathematical arts and sciences through an individual's Ph.D. advisor and Ph.D. students. Currently we have over 80,000 records in our database. We welcome and encourage all statisticians to join us in this endeavor.

Please visit our web site

<http://genealogy.math.ndsu.nodak.edu>

The information which we collect is the following:

The full name of the individual, the school where he/she earned a Ph.D., the year of the degree, the title of the dissertation, and, MOST IMPORTANTLY, the full name of the advisor(s). E.g., Fuller, Wayne Arthur; Iowa State University; 1959; *A Non-Static Model of the Beef and Pork Economy*; Shepherd, Geoffrey Seddon

For additions or corrections for one or two people a link is available on the site. For contributions of large sets of names, e.g., all graduates of a given university, it is better to send the data in a text file or an MS Word file or an MS Excel file, etc. Send such information to:

harry.coonce@ndsu.nodak.edu

The genealogy project is a not-for-profit endeavor supported by donations from individuals and sales of posters and t-shirts. If you would like to help this cause please send your tax-deductible contribution to: Mathematics Genealogy Project, 300 Minard Hall, P. O. Box 5075, Fargo, North Dakota 58105-5075E

Devereux Early Childhood Assessment for Infants and Toddlers DECA-I/T

What is the Devereux Early Childhood Assessment for Infants and Toddlers?

The DECA-I/T is a premier tool for assessing protective factors and screening for potential risks in the social and emotional development of very young children.

The DECA-I/T is a standardized, reliable and valid assessment.

Strength-based
Social Emotional Health Assessment
for Infants and Toddlers

**DECA
FOR
INFANTS & TODDLERS**

Devereux Early
Childhood Assessment for
Infants and Toddlers
User's Guide
by Mary Mackinnon, Paul LaParo, and Gregg Powell

Kaplan Exclusive!

Available
Spring 2007

There are two instruments
that make up the DECA-I/T:

- ~ An assessment for Infants from 1 month up to 18 months
- ~ An assessment for Toddlers from 18 months up to 36 months

#14110	DECA-I/T kit	\$149.95
#13844	DECA-I/T Infant Record Forms, Set of 20 (for children ages 1 month up to 18 months)	\$19.95
#13845	DECA-I/T Toddler Record Forms, Set of 30 (for children ages 18 months up to 36 months)	\$29.95
#13846	DECA-I/T User's Guide	\$39.95
#14016	DECA-I/T Set of 5 Parent/Teacher Profile Masters (4 infant and 1 toddler)	\$12.95
#14112	DECA-I/T CD Scoring Assistant and Technical Manual	\$99.95

EARLY LEARNING COMPANY

1-800-334-2014 • www.kaplanco.com

The easy way to find open access journals

www.doaj.org

The Directory of Open Access Journals covers free, full text, quality controlled scientific and scholarly journals. It aims to cover all subjects and languages.

Aims

- Increase visibility of open access journals
- Simplify use
- Promote increased usage leading to higher impact

Scope

The Directory aims to be comprehensive and cover all open access scientific and scholarly journals that use a quality control system to guarantee the content. All subject areas and languages will be covered.

In DOAJ browse by subject

Agriculture and Food Sciences
Biology and Life Sciences
Chemistry
General Works
History and Archaeology
Law and Political Science
Philosophy and Religion
Social Sciences

Arts and Architecture
Business and Economics
Earth and Environmental Sciences
Health Sciences
Languages and Literatures
Mathematics and statistics
Physics and Astronomy
Technology and Engineering

Contact

Lotte Jørgensen, Project Coordinator
Lund University Libraries, Head Office
E-mail: lotte.jorgensen@lub.lu.se
Tel: +46 46 222 34 31

Funded by

www.soros.org

Hosted by

LUND
UNIVERSITY
www.lu.se